Carbohydrate Research, 253 (1994) C1–C2
Elsevier Science B.V., Amsterdam

AUTHOR INDEX

Agyei-Aye, K. 207
Asano, N. 235

Bajza, I. 111
Baker, D.C. 207, 225
Blazis, V.J. 207, 225
Bock, K. 51
Bols, M. 195
Broda, P. 265
Browder, I.W. 293

Černý, M. 19
Chang, Y.-T. 13
Chung, S.-K. 13
Copa-Patiño, J.L. 265

Das, S.K. 301
Defaye, J. 185
Duus, J.Ø. 51

Eckhardt, E. 167
Ensley, H.E. 293

Galbis, J.A. 307
Gentile, L.N. 207
Ghosh, R. 301
Grimmecke, H.D. 277, 283
Grubbe, H. 195
Guillot, J.-M. 185

Hajkó, J. 111
Hawkins, E.S. 207, 225
Hebbler, A.K. 207
Hendrix, D.L. 329
Herzog, H. 167
Hoyer, F. 141

Ikegami, M. 29

Jann, B. 323
Jann, K. 323
Jansson, P.-E. 317
Jespersen, T.M. 195
Jeżowska-Bojczuk, M. 19

Johansson, A. 317
Johnson, S.C. 207

Kamerling, J.P. 121
Kerékgyártó, J. 111
Kiesel, B. 277, 283
Kim, K. 13
Kitamura, S. 29
Kizu, H. 235
Kloareg, B. 69
Knirel, Y.A. 101, 277, 283
Kochanowski, H. 323
Kochetkov, N.K. 101
Kozłowski, H. 19

Lauk, W. 277, 283
Lichtenthaler, F.W. 141
Lipták, A. 111
Livingston III, D.P. 287

MacLean, L.L. 257
Mancera, M. 307
Matsui, K. 235
Mavridis, I.M. 39
Mayer, H. 101
Mbaïraroua, O. 79
Medaković, D. 299
Mentzafos, D. 39

Noguchi, K. 29

Ohno, S. 29
Okuyama, K. 29

Parolis, H. 247
Parolis, L.A.S. 247
Perry, M.B. 257
Peters, J.A. 1
Potin, P. 69
Pretus, H.A. 293

Raveendranath, P.C. 207
Ray, A.K. 301

Refn, S. 51
Rochas, C. 69
Rodríguez, E. 307
Roffé, I. 307
Roy, N. 301
Ryu, Y. 13

Schenk, H. 39
Schlecht, S. 101
Shashkov, A.S. 277, 283
Slaughter, L.H. 287
Strayle, J. 167
Szarek, W.A. 195
Szilágyi, L. 111

Takeo, K. 29
Tapiéro, C. 79
Tomioka, E. 235
Ton-That, T. 79
Trnka, T. 19

Van Bekkum, H. 1
Van den Berg, R. 1
Van der Ven, J.G.M. 121
Vinogradov, E.V. 101
Vliegenthart, J.F.G. 121
Voges, M. 277, 283

Wei, Y.-a. 329
Whang, D. 13
Whittaker, D.V. 247
Widmalm, G. 317
Wijkmans, J.C.H.M. 121
Williams, D.L. 293

Ziegler, T. 151, 167

Carbohydrate Research, 253 (1994) C3–C5
Elsevier Science B.V., Amsterdam

SUBJECT INDEX

Acetobacter methanolicus MB 70, structure of the capsular polysaccharide and the O-side chain of the lipopolysaccharide from, 277

Acetobacter methanolicus MB 135 (IMET 11402), structure of the capsular polysaccharide and the O-side-chain of the lipopolysaccharide from, 283

Affinity chromatography of human serum amyloid P protein, synthesis and use of 5-aminopentyl 4,6-*O*-[(*R*)-1-carboxyethylidene]-β-D-galactopyranoside as a ligand for the, 167

α-Agarase action on agarose, 69

Agarose oligomers, NMR investigation, 69

2-*C*-Alkyl-2,3-dideoxy-α,β-L-*glycero*-tetrurono-1,4-lactones, synthesis, and evaluation as antitumor agents, 225

3-*C*-Alkyl-(or 3-*C*-phenyl-) 2,3-dideoxy-D-*erythro*-pentono-1,4-lactones, a synthetic route to, 207

5-Aminopentyl 4,6-*O*-[(*R*)-1-carboxyethylidene]-β-D-galactopyranoside, synthesis and use as a ligand for the affinity chromatography of human serum amyloid P protein, 167

5-Aminopentyl mono- to tri-saccharide haptens related to the species-specific glycopeptidolipids of *Mycobacterium avium-intracellulare* serovars 8 and 21, synthesis of 5-aminopentyl, 151

Amino sugars, interaction of copper(II) ions with 1,6-anhydro derivatives of, 19

1,6-Anhydro derivatives of amino sugars, interaction with copper(II) ions, 19

Antigen from *Klebsiella* type 55, synthesis of a tetrasaccharide related to the repeating unit of the, 301

Azasugars from the leaves of *Morus bombycis*, 235

Bemisia, honeydew, bemisiose, an unusual trisaccharide in, 339

Bemisiose, an unusual trisaccharide in *Bemisia* honeydew, 339

Benzyl, phenylethyl apiosyl-glucosides, syntheses, 79

Borate esters of mono- and di-saccharides, structure and (local) stability constants as studied by ^{11}B and ^{13}C NMR spectroscopy, 1

1-Bromo-1-nitro-D-*galacto*(and D-*manno*)-hept-1-enitols and their 1,3-dipolar cycloaddition reactions with diazoalkanes, preparation of, 307

Capsular polysaccharide and the O-side-chain of the lipopolysaccharide from *Acetobacter methanolicus* MB 135 (IMET 11402), structure of the, 283

Capsular K96 polysaccharide (K96 antigen) from *E. coli* O77:K96:H^-, structure and comparison with the K54 antigen from *E. coli* O6:K54:H10, 323

4,6-*O*-[(*R*)-1-Carboxyethylidene]-β-D-galactopyranoside, synthesis of 5-aminopentyl, and its use as a ligand for the affinity chromatography of human serum amyloid P protein, 167

Citronellyl apiosyl-glucosides, syntheses, 79

Conformational analysis of (±)-1,2:4,5-di-*O*-isopropylidene-*myo*-inositol and (±)-1,2:5,6-di-*O*-isopropylidene-*myo*-inositol by crystal structure analysis, 13

Conformational equilibria of 4-thiomaltose and nitrogen analogues of maltose in aqueous solutions, 51

Copper(II) ions, interaction with 1,6-anhydro derivatives of amino sugars, 19

Crystal structure of the 1:1 complex of heptakis(2,3,6-tri-*O*-methyl)cyclomaltoheptaose (permethylated β-cyclodextrin) with ethyl laurate, 39

Crystal structures of (±)-1,2:4,5-di-*O*-isopropylidene-*myo*-inositol and (±)-1,2:5,6-di-*O*-isopropylidene-*myo*-inositol, 13

Cyanides, synthesis and configurational assignment of pyranoid D-frucosyl and L-sorbosyl, 141
Cycloaddition reactions with diazoalkanes, preparation of 1-bromo-1-nitro-D-*galacto*-(and D-*manno*)-hept-1-enitols and their 1,3-dipolar, 307
Cyclomaltoheptaose, crystal structure of the 1:1 complex of ethyl laurate with heptakis(2,3,6-tri-*O*-methyl)-, 39

3-Deoxy-3-fluoro-D-fructose synthesis by hydroxymethylation of 2-deoxy 2-fluoro-D-arabinono-1,4-lactone, 195

Escherichia coli O20:K83:H26, structural elucidation by high resolution NMR spectroscopy of the capsular polysaccharide produced by, 247
Escherichia coli O77:K96:H$^-$, structure of the capsular K96 polysaccharide (K96 antigen) and comparison with the K54 antigen from *E. coli* O6:K54:H10, 323
Ethyl laurate, crystal structure of the 1:1 complex of heptakis(2,3,6-tri-*O*-methyl)cyclomaltoheptaose (permethylated β-cyclodextrin) with, 39

Fructan isomers, separation by high performance anion exchange chromatography, 287
D-Fructosyl and L-sorbosyl cyanides, synthesis and configurational assignment of pyranoid, 141
2(3*H*)-Furanones intermediates, synthesis of, 207

Geranyl apiosyl-glucosides, syntheses, 79
β-D-Glucan linkages, a *Phanerochaete chrysosporium* β-D-glucosidase/β-D-xylosidase with specificity for (1 → 3)-, 265
(1 → 3)-β-D-Glucan, yeast-derived, molecular weight analysis of a water-insoluble, by organic-phase size-exclusion chromatography, 293
2-*S*-α-D-Glucopyranosyl- and 2-*S*-β-D-glucopyranosyl-2-thio-D-glucopyranose, a convenient synthesis of, 185
β-D-Glucosidase/β-D-xylosidase with specificity for (1 → 3)-β-D-glucan linkages, from *Phanerochaete chrysosporium*, 265
Glycopeptidolipid from *Mycobacterium avium* serovariant 8, pyruvic acid-containing trisaccharide unit of the species-specific, chemical synthesis, 111
Glycopeptidolipids of *Mycobacterium avium-intracellulare* serovars 8 and 21, synthesis of 5-aminopentyl mono- to tri-saccharide haptens related to the species-specific, 151

Hept-1-enitols and their 1,3-dipolar cycloaddition reactions with diazoalkanes, preparation of 1-bromo-1-nitro-D-*galacto*(and D-*manno*)-, 307
High performance anion exchange chromatography, separation of fructan isomers by, 287
Honeydew, bemisiose, an unusual trisaccharide in *Bemisia*, 339
Hydroxymethylation of aldonolactones and a chemical synthesis of 3-deoxy-3-fluoro-D-fructose, 195

β-L-Idopyranuronate, methyl 1,2,3,4-tetra-*O*-acetyl-, efficient synthesis, 299
myo-Inositol, crystal structures and conformational analysis of (±)-1,2:4,5- and (±)-1,2:5,6-di-*O*-isopropylidene-, 13

Ketohexoses synthesis from pentonolactones, 195
Ketoses synthesis from aldonolactones, 195
Klebsiella pneumoniae ATCC 316 46, structure of the polysaccharide S-156 elaborated by, 317
Klebsiella type 55, synthesis of a tetrasaccharide related to the repeating unit of the antigen from, 301
Kojibiose and 2-thiosophorose, a convenient synthesis for 2-thio-, 185
K96 polysaccharide (K96 antigen) from *E. coli* O77:K96:H$^-$, structure of the capsular, and comparison with the K54 antigen from *E. coli* O6:K54:H10, 323

α-Laminarabioside, methyl hepta-*O*-acetyl-, molecular and crystal structure of, 29
Lipopolysaccharide from *Acetobacter methanolicus* MB 70, structure of the capsular polysaccharide and the O-side chain of the, 277
Lipopolysaccharide from *Acetobacter methanolicus* MB 135 (IMET 11402), structure of the capsular polysaccharide and the O-side-chain of the, 283

Methyl 1,2,3,4-tetra-*O*-acetyl-β-L-idopyranuronate, efficient synthesis, 299
3-*O*-Methyl-D-mannose, synthesis of tetrasaccharides containing, as model compounds for xylose-containing carbohydrate chains from *N*-glycoproteins, 121

Molecular weight analysis of a water-insoluble, yeast-derived (1 → 3)-β-D-glucan by organic-phase size-exclusion chromatography, 293
Mono- to tri-saccharide haptens related to the species-specific glycopeptidolipids of *Mycobacterium avium-intracellulare* serovars 8 and 21, synthesis of 5-aminopentyl, 151
Mono- and di-saccharides, structure and (local) stability constants of borate esters as studied by ^{11}B and ^{13}C NMR spectroscopy, 1
Morus bombycis, azasugars from the leaves of, 235
Mycobacterium avium serovariant 8, pyruvic acid-containing trisaccharide unit of the species-specific, chemical synthesis, glycopeptidolipid from, 111

Neryl apiosyl-glucosides, syntheses, 79
Nitrogen analogues and 4-thiomaltose, conformational equilibria in aqueous solution, 51
NMR spectroscopic investigation of agarose oligomers produced by an α-agarase, 69

Oligosaccharides resulting from bacteriophage degradation of the capsular polysaccharide and the O-side chain of the lipopolysaccharide from *Acetobacter methanolicus* MB 70, 277

Phanerochaete chrysosporium β-D-glucosidase/β-D-xylosidase with specificity for (1 → 3)-β-D-glucan linkages, 265
Polysaccharide K96 (K96 antigen) from *E. coli* O77:K96:H^-, structure of the capsular, and comparison with the K54 antigen from *E. coli* O6:K54:H10, 323
Polysaccharide S-156 elaborated by *Klebsiella pneumoniae* ATCC 316 46, structure of the, 317
Polysaccharide of *Salmonella arizonae* O62, structure of the O-specific, 101
Polysaccharide produced by *E. coli* O20:K83:H26, structural elucidation by high resolution NMR spectroscopy of the capsular, 247
Polysaccharide produced by *Proteus vulgaris* (ATCC 49990), the structure of the, 257
Proteus vulgaris (ATCC 49990), the structure of the polysaccharide produced by, 257
Pyranoid D-fructosyl and L-sorbosyl cyanides, synthesis and configurational assignment of, 141
Pyruvic acid-containing trisaccharide unit of the species-specific glycopeptidolipid from *Mycobacterium avium* serovariant 8, chemical synthesis, 111

Salmonella arizonae O62, structure of the O-specific polysaccharide of, 101
Structural elucidation of the capsular polysaccharide expressed by *E. coli* O20:K83:H26 by high resolution NMR spectroscopy, 247
Structure and (local) stability constants of borate esters of mono- and di-saccharides as studied by ^{11}B and ^{13}C NMR spectroscopy, 1
Structure of oligosaccharides produced by the action of an α-agarase on agarose, 69
Structure of the polysaccharide S-156 elaborated by *Klebsiella pneumoniae* ATCC 316 46, 317
Structure of the O-specific polysaccharide of *Salmonella arizonae* O62, 101
Structure, molecular and crystal, of methyl hepta-*O*-acetyl-α-laminarabioside, 29
Synthesis of some 2-*C*-alkyl-2,3-dideoxy-α,β-L-*glycero*-tetrurono-1,4-lactones. Evaluation as antitumor agents, 225
Synthetic route to 3-*C*-alkyl-(or 3-*C*-phenyl) 1,3-dideoxy-D-*erythro*-pentono-1,4-lactones: intermediates in the synthesis of 2(3*H*)-furanoses, 207

Terpineyl apiosyl-glucosides, syntheses, 79
Tetrasaccharide related to the repeating unit of the antigen from *Klebsiella* type 55, synthesis of a, 301
Tetrasaccharides containing 3-*O*-methyl-D-mannose, synthesis as model compounds for xylose-containing carbohydrate chains from *N*-glycoproteins, 121
Tetrurono-1,4-lactones, synthesis, and evaluation as antitumor agents, 225
2-Thiokojibiose and 2-thiosophorose, a convenient synthesis for, 185
4-Thiomaltose and nitrogen analogues of maltose, conformational equilibria in aqueous solution, 51
Trisaccharide in *Bemisia* honeydew, bemisiose, an unusual, 339
Trisaccharide unit of the species-specific glycopeptidolipid from *Mycobacterium avium* serovariant 8, chemical synthesis of the pyruvic acid-containing, 111

Wine aroma precursors, 79

Xylose-containing carbohydrate chains from *N*-glycoproteins, synthesis of tetrasaccharides containing 3-*O*-methyl-D-mannose as model compounds, 121